

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17

386

72				
2				
3001				
9509384				
39				
0	0	2		
0	0	50		
5688	0	0		
1	4			
5	0			
0 0000000 00110 001	1 0000001 01100 011			
0 0000000 00110 001	1 0000010 01100 010			
10				
2				
L	U	NUL	NUL	
10				
1000				
10000				

388

Bytes in message		
Channel ID (assumed)		
Publisher ID (assumed)		
Publisher Session ID (assumed)		
Sequence number (assumed)		
unused	Number of subject fields	
Subject ID for #	Subject ID for SUBSCRIPTION	
Port number (assumed)	Subscription ID (assumed)	
Number of subject filter fields	Number of attribute tests	
Subject ID for >	padding to 4 bytes	
Encoding of price >=	Encoding of and symbol =	
Encoding of price >=	Encoding of and volume between	
Operand of price >=		
Size of operand of symbol ==		
Operand of symbol = = (2 characters + 2 bytes padding)		
Operand of price >=		
First operand of volume between		
Second operand of volume between		

FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25





FIG. 26






FIG. 28